

Eicher Pro 1080HT

The 8.75 ton GVW truck

TRUCKS

**MOVING FORWARD THROUGH
THE TOUGHEST TERRAINS**



Bricks



Wood



Sand



Crusher Sand



Mileage ka Badshah



Eicher Pro 1080HT

More load carrying capacity and high reliability leading to high Vehicle Lifetime Profitability (VLP)

Eicher Pro 1080HT is one of the most profitable products of the Eicher PRO philosophy. Built specifically for carrying construction material, you will find it highly trustworthy. It comes loaded with features like high power, easy maneuverability, enhanced stability and reliability, making it perfect for operating on rough terrains. Add to it high fuel efficiency, low operating cost and excellent service support. When you have Pro 1080HT, you have a rugged, reliable and profitable partner.



Best-in-class fuel efficiency



High reliability and load carrying capacity



Faster pick-up and acceleration with easy maneuverability



Superior cabin comfort



Low maintenance Superior uptime



High resale value



EICHER E483 - HIGH PERFORMANCE ENGINE



**Max power output-
110 PS@2800 rpm**

**Max torque output-
330 Nm @ 1400-1600 rpm**

Mechanical FIP with LDA technology

BS III compliant

- Proven technology
- Best-in-class fuel efficiency
- Optimized power and torque
- Ease of service
- Low maintenance
- Long oil drain intervals

GO PRO

The Eicher PRO Series is a range of next-generation trucks and buses from 5 to 49 tons, designed to take the industry to a new PROfessional level. It brings together the Volvo Group's world-class technology and processes and the frugal engineering and local expertise of Eicher. In keeping with the 'Go PRO' philosophy, the Eicher PRO Series PROMises to deliver higher PROfitability and more PROsperity to its customers. This it fulfills through best-in-class fuel efficiency, superior uptime and better overall vehicle performance.

CABIN



Contemporary styling and aesthetics

High comfort and safe cabin with value added convenience and utility features

6 din, dual tone, modern and sleek instrument panel

CED painted cabin for long gloss life, long salt life and perforation life

Superior aesthetics



Cabin with new and modern styling



Modern dual tone instrument panel



Beige interiors for premium feel



6 din multi-utility dashboard

Superior driving comfort



Ergonomically designed hybrid gear shift lever



Digital instrument panel



Tiltable and telescopic steering wheel



Reverse buzzer



Ergonomically designed 4 way adjustable and comfortable seat



Audio system with two speakers

Superior convenience



Lockable glove box with tray



Easily accessible door trim pockets



Paper holder in sun visor



12V mobile charger with multi-point



Soft grip steering wheel (PU material)

Other superior features



Bigger metallic bumper



Dual stage mirror



Clear lens integrated headlamps with fog lamps



Anti-corrosion fuel tank



CED painted chassis frame for long life



Fog lamps for better visibility

Applications

Eicher Pro 1080HT is suited for varied applications



Bricks



Hollow Bricks



Sand



Laterite Soil



Crusher Sand

Eicher Pro 1080HT

GO PRO

SPECIFICATIONS		Eicher Pro 1080HT	
Type of body	Pick Up	Covered Van	
GVW (Kgs)	7450 Kgs	7450 Kgs	
Wheelbase (mm)	3515	3515	
Front overhang	1165	1165	
Rear overhang	1534	1534	
Overall length (mm)	6214	6214	
Overall width (mm)	2140	2140	
Overall height (mm)	2818	3250	
Cargo length (mm)	4270	4270	
Cargo width (mm)	2140	2140	
Cargo height (mm)	1340	2150	
Engine	E483 4 Cyl 2V Turbo charger with intercooler		
Engine cubic capacity	3298 cc		
Max power output	110PS @ 2800 rpm		
Max torque output	330Nm @ 1400-1600 rpm		
Tyre Size	8.25-16		
FIP system	Mechanical type with LDA technology		
Emission	BS III		
Fuel type	Diesel		
Transmission	ET 40 S5		
Gear type	5 Speed (5 forward, 1 reverse) with hybrid GSL		
Clutch dia (mm)	310		
Gradeability (% Flying - Start)	40%		
Steering	Tilt and telescopic power steering 6 degree tilting and 30 mm telescopic movement		
Ground clearance (mm)	210		
Battery	12 V - 70 Ah		
Fuel tank capacity (litres)	100		
TCD (turning centre dia)	14.6m		
Brakes	Service	Dual circuit, full air S-Cam brakes with VOSS fitment	
	Exhaust	Vacuum assisted, automatic type installed as std fitment	
Chassis	Frame	Ladder type modular frame	
C - Dimensions (mm)	210 x 65 x 6		
No. of cross members	6 (full width) which offer more strength & rugged chassis		
Suspension	Front	Semi-elliptical laminated leaves with shock absorber	
	Rear	Semi-elliptical laminated leaves with helper springs	
Tyre	8.25 x 16 - 16PR front - rib & rear - lug pattern		
Unladen weight (kgs)	2225 (Cab and Chassis)		
Cabin	2m wider aerodynamic cabin with modern styling and PEGASUS family look		



EICHER SERVICE AVAILABLE ANYWHERE, ANYTIME

Eicher has an extensive service reach and no matter where you are Eicher service is never too far away. Eicher has wide and expanding authorized contact points across the country with professionally trained dealership service team ensuring your vehicle is in safe hands. Eicher dealers are equipped with mobile service vans and 24x7 helpline numbers to ensure quick response. What's more, Eicher genuine spares made to the specifications are economical and widely available across Eicher dealers, service centers, spare distributors and other outlets.



Sale query

01730 406484



Easy spare parts
availability

01730 405566



Eicher mobile
service van

01796 554433

CAUTION: • Do not weld or drill on chassis frame. • Accessories and features shown in picture or elsewhere may not constitute standard fitment.
• As a result of continuous research and innovations carried out, specifications are merely indicative and are subject to change without notice

VE COMMERCIAL VEHICLES
A VOLVO GROUP AND EICHER MOTORS JOINT VENTURE

(A Volvo Group and Eicher Motors joint venture)

96, Sector 32, Gurgaon 122001, India.
Phone: +91 124-4415600 Fax: +91 124-4415997
www.eicher.in/etb

Authorized Distributor:

RUNNER
Live your dream... Lead your life!
RUNNER MOTORS LTD

138/1, Tejgaon I/A, Dhaka-1208, Bangladesh
E mail: runnerlmd@gmail.com
Web: www.runnerbd.com/motors